




Measurements Ltd

Standard Glass Scale Legends


B3HT [**02]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH

Standard Glass Scale Legends A3HT [**03]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)
All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH

Standard Glass Scale Legends A5HDL (Platon) [**38]




All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)
 All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

A5HDL [**04]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

A5HSL [**05]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

C6HD0 [**36]




All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)

All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH




Standard Glass Scale Legends

B9HK [**06]



All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH

Standard Glass Scale Legends B9HD [**07]




All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)
All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

B9HS [**45]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

A9HD [**08]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

A9HS [**09]




All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)
All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends A15HD [**10]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)


All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH



Measurements Ltd

Standard Glass Scale Legends

A15HS [**11]




All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)

All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH




Measurements Ltd

Standard Glass Scale Legends A15SS Guided [**37]



All Standard Scales are based on Operating Conditions of 20°C, 1.01325 bar abs and expressed at ATP (20°C, 1.01325 bar abs)
All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH

Standard Glass Scale Legends Water (H₂O) [WA**]



All Standard Scales are based on Operating Conditions of 20°C

All of these Tube & Float combinations can be used in the following frames: Uniflux (Standard Length), Fluxline SH1/2" and LPL 3/8" RH